


SLIK[®]

Designed and engineered in Japan

A composite image featuring a landscape with a person on a rocky peak and a close-up of a Slik tripod head. The background shows a person in a blue jacket and black beanie crouching on a rocky outcrop, holding a camera. The landscape is misty with mountains in the distance. In the foreground, a black Slik tripod head is shown in detail, with the Slik logo and 'SH-T4TC' visible on the top plate. The tripod legs are also visible, with 'SLIK' embossed on one of them.

PRODUCT CATALOG

SUPPORTING
THE ART OF
IMAGE-MAKING

www.slik.com/

The Original line of tripod since 1948

SLIK is a Japanese Company that has been designing and manufacturing tripod since 1948. With more than 70 years of experience, SLIK has won 6 prestigious Japanese Ministry of International Trade and Industry (MITI) "Good Design" (G-Mark) awards. SLIK's original and innovative designs have become industry standards. As of now, SLIK has expanded its market not only Asia but also in North America, Europe, Oceania, Middle East and Africa.

1948 BIRTH OF SLIK TRIPODS

Mr. Takatoshi Shiraishi, a mechanical engineer and photography enthusiast, began designing and creating his own tripods by himself in the suburb of Tokyo, Japan when he was 23 years old. The first brand name was "ALPS" and then, it had been changed to "SLICK" in the beginning of 1950s.



1956 INCORPORATION OF A COMPANY

Mr. Shiraishi founded SLICK Elevator Tripod Co., Ltd. and at the same time, SLICK introduced "SLICK Master" tripod especially for professional and press photographers.

1963 CHANGE OF COMPANY NAME

The company name was changed to SLICK Tripod Co., Ltd. SLICK introduced a unique multi-action head which could get any angles with one pan handle.

1967 CONSTRUCTION OF NEW HIDAKA FACTORY

The "Hidaka" factory was constructed newly in Saitama Prefecture, Japan for the mass production. SLICK "Master Deluxe" and SLICK "Goodman Ace" tripods received "Good Design Awards" (G-Mark) by The Ministry of International Trade and Industry (MITI) of Japan. SLICK Tripod Sales Co., Ltd. was created as a separate business entity from SLICK Tripod Co., Ltd. To focus exclusively on sales of the product.

1974 NEW SLIK LOGO

The letter of "SLICK" in our company name was changed to "SLIK".

1977 MULTI-FUNCTION SYSTEM

SLIK started to sell the new model "88M" tripod, which has various functions that are commonplace today, such as the simple movement from low position to high position, lever leg locks, quick release shoe system, etc. It received "Good Design Award" (G-Mark) by the MITI of Japan in this year.

1987 SLIK AMERICA, INC.

SLIK America, Inc. was established in New York, U.S.A. for the sales in U.S. market.

1988 SLIK (THAILAND) CO., LTD

SLIK (Thailand) Co., Ltd. was established and a factory constructed in the suburb of Bangkok, Thailand to meet the increasing demands for good quality inexpensive tripods without using any outside manufacturing. The unique trigger style Ball Head "AF2100" received "Good Design Award" (G-Mark) by the MITI of Japan.



1989 SLIK CORPORATION

SLIK Tripods Sales Co., Ltd. merged back into Slik Tripod Co., Ltd. and the single company was named SLIK CORPORATION.

1994 U-SERIES TRIPODS

SLIK tripod model "U 8000" (made in Thailand factory) received "Good Design Awards" (G-Mark) by The MITI of Japan.

1997 NEW BALL HEAD & A.M.T. TRIPODS

SLIK "Ball Head 800" (made in Thailand) received "Good Design Awards" (G-Mark) by The MITI of Japan. Introduction of the new alloy of SLIK A.M.T. (Aluminum, Magnesium and Titanium) and then, started sales of our tripod model "PRO 700DX" and monopod "PRO POD 600" using new alloy in the legs.

1999 CARBON FIBER PRODUCTS

Began the production and sales of new Carbon Fiber tripod model "PRO 803CF", "PRO 804CF" and monopod "PRO POD 380".

2001 NEW SLIK

Became a member of Kenko Co., Ltd. (now, Kenko Tokina Co., Ltd.)

2012 THE 2ND Factory IN THAILAND

The 2nd factory in Thailand was opened at Saraburi, Thailand after the heavy damage by large-scale flood at the original first factory at Navanakorn in 2011.

2014 SLIK BLUE

SLIK decided to make the image color of the product BLUE. Since then, SLIK BLUE has been adopted as the accent color of the product.



2016 R.F.M (RAPID FLIP MECHANISM)

SLIK Original travel tripod; LiTE series had been introduced at Photokina 2016. SLIK patented "R.F.M." eases inverting tripod legs for compact storage.

2018 TO THE NIGHTLY SKY & TIME-LAPSE

SLIK expands product range to the astronomical photography. ASTRA sky tracker is the ideal piece for not only astronomical photography but also unique time-lapse shooting.




Table of Contents

- [Carbon Series](#) ----- 4
- [Professional Series](#) ----- 5
- [700DX Series](#) ----- 6
- [400DX](#) ----- 6
- [PRO AL Series](#) ----- 7
- [Travel Series](#) ----- 10
- [Sprint Series](#) ----- 11
- [Video Series](#) ----- 12
- [U Series](#) ----- 13
- [Mini and Compact Series](#) ----- 14
- [Monopod and Stand pod](#) ----- 15
- [Tripod Legs](#) ----- 16
- [Tripod Heads](#) ----- 18
- [Accessories](#) ----- 23
- [QRS Plates and Adaptors](#) ----- 24

Tripod Kit <Carbon Fiber Series>

Features



Reversible head mounting screw (U1/4 to U3/8)



3-steps leg angle adjustment



Patented double nut ring crown type leg twist lock



Accessory hook



Exchangeable leg tips



Optional Leg tips

Medium Size Tripod

CF 800 Series

PRO CF-833BHAC

Head: PBH-635AC

Leg: PRO CF-833



PRO CF-834BHAC

Head: PBH-635AC

Leg: PRO CF-834



Model	PRO CF-833BHAC	PRO CF-834BHAC
Max. Height	1,810mm	1,750mm
Min. Height	335mm	292mm
Load Capacity	6,000g	6,000g
Folded Length	690mm	570mm
Pipe size	28mm	28mm
Weight	2,030g	2,040g
QRS Plate	QRS 6507	QRS 6507

CF 700 Series

Medium Size Tripod

PRO CF-733BHAC

Head: PBH-535AC

Leg: PRO CF-733



PRO CF-734BHAC

Head: PBH-635AC

Leg: PRO CF-734



Model	PRO CF-733BHAC	PRO CF-734BHAC
Max. Height	1,770mm	1,745mm
Min. Height	308mm	277mm
Load Capacity	5,000g	5,000g
Folded Length	660mm	560mm
Pipe size	25mm	25mm
Weight	1,710g	1,730g
QRS Plate	QRS 6507	QRS 6507



THE PROFESSIONAL Series

THE PROFESSIONAL NS



THE PROFESSIONAL 4 NS



THE PROFESSIONAL II-LE NS



Model	THE PROFESSIONAL NS	THE PROFESSIONAL 4 NS	THE PROFESSIONAL II-LE NS
Max. Height	2,000mm	2,530mm	1,835mm
Min. Height	385mm	385mm	370mm
Load Capacity	12,000g	12,000g	10,000g
Folded Length	900mm	935mm	810mm
Pipe size	36mm	36mm	32mm
Weight	6,210g	6,810g	4,700g
QRS Plate	Fixed Type	Fixed Type	Fixed Type

Features



Reversible head mounting screw (U1/4 to U3/8)



"Easy-to-Grip" leg lock nut



Grooved round pipe is used to prevent rotation or idling between pipes



3-steps leg angle adjustment



Reliable worm gear center column is used to prevent accidental fall of center column

Master Classic



Model	MASTER CLASSIC
Max. Height	1,630mm
Min. Height	1,495mm
Load Capacity	6,000g
Folded Length	650mm
Pipe size	28mm
Weight	2,550g
QRS Plate	FIXED Type

Features



Equipped with SLIK Original 1961 model 2-way pan head



360° rotatable top plate



Rack and pinion center column for fast and precise height adjustment

Tripod Kit <Aluminum Series>

700DX Series

PRO 700DX



PRO 700BHX



PRO 700BH6AC



Model	PRO 700DX	PRO 700BHX	PRO 700BH6AC
Max. Height	1,900mm	1,900mm	1,885mm
Min. Height	395mm	395mm	380mm
Load Capacity	8,000g	5,000g	6,000g
Folded Length	760mm	800mm	785mm
Pipe size	30.2mm	30.2mm	30.2mm
Weight	3,670g	3,430g	3,155g
QRS Plate	QRS 6124 or 6125	QRS 6124 or 6125	QRS 6507

Features



SLIK Super Alloy A.M.T. is a light and durable than the standard metal used in most of today's tripods.



3-steps leg angle adjustment



Reversible head mounting screw (U1/4 to U3/8)



Robust Lever-type leg lock



Separable Center Column for low angle position

PRO 400DX AND ABLE 300DX



Model	PRO 400DX
Max. Height	1,535mm
Min. Height	330mm
Load Capacity	5,000g
Folded Length	650mm
Pipe size	27mm
Weight	2,520g
QRS Plate	QRS 6123



Model	ABLE 300DX
Max. Height	1,550mm
Min. Height	350mm
Load Capacity	5,000g
Folded Length	655mm
Pipe size	27mm
Weight	2,600g
QRS Plate	QRS 6123

Tripod Kit <PRO AL Series>

PRO AL 3 Way Head Series

PRO AL-523 3W



PRO AL-323 3W



PRO AL-324 3W



Model	PRO AL-523 3W	PRO AL-323 3W	PRO AL-324 3W
Max. Height	1,690mm	1,605mm	1,450mm
Min. Height	335mm	320mm	285mm
Load Capacity	6,000g	4,000g	4,000g
Folded Length	665mm	620mm	520mm
Pipe size	26.8mm	23.4mm	23.4mm
Weight	2,355g	1,955g	1,905g
QRS Plate	QRS 6507	QRS 6507	QRS 6507

Features



"Rapid Flip Mechanism for fast and stress-free leg angle adjustments"



2 types of handle for 2 types of users

- Tilt knob for compact priority



Completely redesigned tripod body & leg joint equipped with accessory port



- Tilt handle for traditional 3way head operation



Equipped with Rubber Grip and a Spring loaded accessory hook for suspending weight with ease



90 deg. rotatable "Arca-Swiss" compatible QRS platform



Dual Bubble Leveler

Tripod Kit <PRO AL Series>

PRO AL 3 Way with Friction Control

PRO AL-523 3WFC



PRO AL-323 3WFC



PRO AL-324 3WFC



Model	PRO AL-523 3WFC	PRO AL-323 3WFC	PRO AL-324 3WFC
Max. Height	1,690mm	1,605mm	1,450mm
Min. Height	320mm	320mm	285mm
Load Capacity	6,000g	4,000g	4,000g
Folded Length	665mm	620mm	520mm
Pipe size	26.8mm	23.4mm	23.4mm
Weight	2,400g	2,000g	1,950g
QRS Plate	QRS 6507	QRS 6507	QRS 6507

Features



"Rapid Flip Mechanism for fast and stress-free leg angle adjustments



Completely redesigned tripod body & leg joint equipped with accessory port



Equipped with Rubber Grip and a Spring loaded accessory hook for suspending weight with ease



Equipped with independent pan & tilt friction control dial allowing to fine-tune the "drag" while panning or tilting.



2 types of handle for 2 types of users

- Tilt knob for compact priority



- Tilt handle for traditional 3way head operation



90 deg. rotatable "Arca-Swiss" compatible QRS platform



Dual Bubble Leveler

Tripod Kit <PRO AL Series>

PRO AL Ball Head (Clamp Type)

PRO AL-323BH4

PRO AL-324BH4



Features



"Rapid Flip Mechanism" for fast and stress-free leg angle adjustments



Completely redesigned tripod body & leg joint equipped with accessory port



Equipped with Rubber Grip and a Spring loaded accessory hook for suspending weight with ease



Lightweight yet durable ball head with independent Pan lock.



"Cam-Lock" style Arca-type compatible Platform For fast and easy set up

Model	PRO AL-323BH4	PRO AL-324BH4
Max. Height	1,570mm	1,415mm
Min. Height	285mm	250mm
Load Capacity	4,000g	4,000g
Folded Length	615mm	510mm
Pipe size	23.4mm	23.4mm
Weight	1,590g	1,540g
QRS Plate	QRS 6507	QRS 6507

PRO AL Ball Head (AC Type)



Model	PRO AL-532BHAC
Max. Height	1,675mm
Min. Height	320mm
Load Capacity	5,000g
Folded Length	660mm
Pipe size	26.8mm
Weight	1,710g
QRS Plate	QRS 6507

PRO AL Trigger Type Head



Model	PRO AL-323AF
Max. Height	1,615mm
Min. Height	329mm
Load Capacity	1,500g
Folded Length	660mm
Pipe size	23.4mm
Weight	1,850g
QRS Plate	QRS 6183

Head Features (Ball head AC type)



Newly designed Arca-Swiss type camera platform adaptable to various types or Arca-Compatible plates



It has independent Pan knob with a ball lock lever that can be adjusted to desire position. It is also equipped with tension adjustment function adds friction to the ball movement

Head Features (Grip / Trigger Type Head)



Camera position can be set freely by just gripping the trigger



Camera position will be firmly fixed once the grip is released



360 deg. rotatable quick shoe platform

Leg Features



"Rapid Flip Mechanism" for fast and stress-free leg angle adjustments



Completely redesigned tripod body & leg joint equipped with accessory port



Equipped with Rubber Grip and a Spring loaded accessory hook for suspending weight with ease

Tripod Kit <Travel Series>

Rover Series

Rover A (Aluminum)



Rover C (Carbon Fiber)



Features



ROVER Arca-compatible Exclusive Ball Head is a compact yet highly durable head. It has a built in spring tension for easier angle adjustment



One leg can be used as a monopod by combining it with the center column a maximum height of 1640mm can be obtained



Rover legs are reversible for more compact storage

Model	Rover a	Rover c
Max. Height	1,590mm	1,590mm
Min. Height	350mm	350mm
Load Capacity	5,000g	5,000g
Folded Length	360mm	360mm
Pipe size	25mm	25mm
Weight	1,730g	1,520g
QRS Plate	QRS 6515	QRS 6515



The leg angle adjustment lock is a ratchet type semi-automatic system that returns to normal position when the leg is closed to prevent erroneous operation.



"The tips of the tripod legs use 3/8" screw thread and can be replaced with optional metal spikes or 50mm rubber feet

Leptos A294 BH

Features



Leptos ball head material are a combination of metal and resin which is specifically positioned to obtain both rigidity and lighter weight



The specially designed leg tube and center column, inspired by the SLIK Young Mate tripod from the 1980s, allow for compact storage with a diameter of 66mm.



Equipped Built-in Spikes in the Rubber Feet

Model	Leptos A294 BH
Max. Height	1,585mm
Min. Height	440mm
Load Capacity	1,500g
Folded Length	545mm
Pipe size	29mm
Weight	1,130g
QRS Plate	Leptos QRS



Arca-Compatible head with compass and a bubble leveler

Optional

Leptos A294BH can be paired with a compact mini table that is ideal for outdoor activities. It features versatile holes that are suitable for hanging hooks or Sierra cups.



Tripod Kit <SPRINT Series>

Ball Head Type

SPRINT MINI III BHAC



SPRINT PRO III BHAC



Model	SPRINT MINI III BHAC	SPRINT PRO III BHAC
Max. Height	1,085mm	1,605mm
Min. Height	160mm	165mm
Load Capacity	2,000g	2,000g
Folded Length	355mm	470mm
Pipe size	20mm	20mm
Weight	915g	1,075g
QRS Plate	QRS 6507	QRS 6507

3-Way Head Type

SPRINT PRO III 3WAY BK



Model	SPRINT PRO III 3WAY BK
Max. Height	1,605mm
Min. Height	165mm
Load Capacity	1,180g
Folded Length	475mm
Pipe size	20mm
Weight	1,180g
QRS Plate	QRS 6183

VIDEO SPRINT III



Model	VIDEO SPRINT III
Max. Height	1,600mm
Min. Height	160mm
Load Capacity	2,000g
Folded Length	480mm
Pipe size	20mm
Weight	1,140g
QRS Plate	QRS 6014

SPRINT Series Leg Features



R.F.M. (Rapid Flip Mechanism) allows fast and easy leg opening adjustment by just pushing down the blue lever



All 3 legs are outfitted with streamlined rubber grips for easy handling.



Each leg is made up of 4 sections and the height is adjusted using the simple to use flip-lock design

SPRINT PRO EZ



Model	SPRINT PRO III EZ
Max. Height	1,605mm
Min. Height	165mm
Load Capacity	2,000g
Folded Length	485mm
Pipe size	20mm
Weight	1,360g
QRS Plate	QRS 6183 BK

Tripod Kit <Video Series>

PRO AL Video Series

PRO AL-523 SVH-520



PRO AL-323 SVH-520



PRO AL-324 SVH-520



Model	PRO AL-523 SVH-520	PRO AL-323 SVH-520	PRO AL-324 SVH-520
Max. Height	1,675mm	1,590mm	1,435mm
Min. Height	320mm	305mm	270mm
Load Capacity	4,000g	4,000g	4,000g
Folded Length	685mm	640mm	535mm
Pipe size	26.8mm	23.4mm	23.4mm
Weight	2,275g	1,875g	1,825g
QRS Plate	QRS 6513	QRS 6513	QRS 6513

Features



"Rapid Flip Mechanism for fast and stress-free leg angle adjustments



Completely redesigned tripod body & leg joint equipped with accessory port



Equipped with Rubber Grip and a Spring loaded accessory hook for suspending weight with ease



Arca-compatible platform compatible with wide variety of QRS plate



Reversible video boss plate. It can be reversed without needing tools



Curved Pan Handle is adapted allowing users to position the handle at most comfortable position

504QF II



Model	504QF II
Max. Height	1,560mm
Min. Height	330mm
Load Capacity	3,000g
Folded Length	690mm
Pipe size	27mm
Weight	2,570g
QRS Plate	QRS 6027

The top row uses a round pipe, and the second and third stages are D-shaped aluminum pipes. Pipes do not rotate and can be extended smoothly.

Features



504QF II tripod kit comes with SLIK's uniquely designed video head with built-in counterbalance and pan-tilt drag. Platform can be tilted 90 degrees for portrait orientation



3-steps leg angle adjustment



The thumb-turn locking mechanism allows for intuitive leg lock & unlocking

Tripod Kit <U Series>

U 873 & U 874

U873




U874



Model	U 873	U 874
Max. Height	1,500mm	1,500mm
Min. Height	1,177mm	1,240mm
Load Capacity	2,000g	2,000g
Folded Length	553mm	500mm
Pipe size	23mm	23mm
Weight	1,260g	1,270g
QRS Plate	QRS 6122	QRS 6122

Features



3-way pan/tilt head can be rotated 360°, and tilted ±90°, as well as sideways for portal orientation.



Large sized quick release plate allows easy and quick camera setting.



"Rack & Pinion" center column utilizes a geared movement for precise height adjustments.

U 8000 & U 9000

U 8000



U 9000



Model	U 8000	U 9000
Max. Height	1,500mm	1,500mm
Min. Height	1,200mm	1,200mm
Load Capacity	2,000g	2,000g
Folded Length	590mm	590mm
Pipe size	23mm	23mm
Weight	1,600g	1,600g
QRS Plate	QRS 6122	QRS 6122




Newly designed tripod body made even compact its folded length while keeping max. height of 1,500mm.



The U-series makes setting up easy with secure yet fast speed release flip leg locks that do not snap back when locking. One finger operation is all that is required to open or close each leg lock.

U 9000 Leg tip



U 9000 is equipped with 2 way leg tip (Rubber tip and Metal Spike)

Tripod Kit <Mini and Compact Series>

Ball Head Type

MINI-PRO BHAC



MINI-PRO DQ



MINI-PRO 7



MAGGY

(with magnetic mount)



Model	MINI-PRO BHAC	MINI-PRO DQ	MINI-PRO 7	MAGGY
Max. Height	230mm	226mm	450mm	950mm
Min. Height	177mm	173mm	140mm	210mm
Load Capacity	1,000g	1,000g	2,000g	500g
Folded Length	205mm	205mm	195mm	220mm
Pipe size	20mm	20mm	20mm	-
Weight	405g	350g	540g	310g
QRS Plate	QRS 6507	QRS 6252	QRS 6256	Direct mount

2-Way Pan Head

MINI 8



MINI-PRO V



COMPACT 8



Model	MINI 8	MINI-PRO V	COMPACT 8
Max. Height	210mm	218mm	1,035mm
Min. Height	164mm	166mm	365mm
Load Capacity	1,000g	1,000g	1,000g
Folded Length	205mm	200mm	365mm
Pipe size	20mm	20mm	20mm
Weight	300g	345g	615g
QRS Plate	Fixed Type	Fixed Type	Fixed Type

Tripod Kit <Monopod and Standpod>

Aluminum Type

Monopod 350



Lighty Pod 100



Lighty Pod 200



Lighty Pod DQ



Pro Pod 600



Model	Monopod 350	Lighty Pod 100	Lighty Pod 200	Lighty Pod DQ	Pro Pod 600
Max. Height	1,600mm	1,360mm	1,585mm	1,615mm	1,600mm
Folded Length	510mm	435mm	555mm	530mm	600mm
Pipe size	26.8mm	20mm	20mm	20mm	20mm
Weight	350g	240g	380g	490g	600g
QRS Plate	Fixed Type	Fixed Type	QRS 6252	QRS 6252	Fixed Type

Carbon Type



Model	PRO POD CF-834
Max. Height	1,629mm
Folded Length	500mm
Pipe size	28mm
Weight	500g
QRS Plate	Fixed Type

Features



corrosion resistance
rubber grip



Easy twist rubber leg lock nut for fast and easy set-up



Exchangable Leg Tip

Stand Pod

STANDPOD



STANDPOD 7



Features

STANDPOD



Convertible to mini tripod

STANDPOD 7

Convertible to mini tripod



Model	STANDPOD	STANDPOD 7
Max. Height	1,775mm	1,750mm
Load Capacity	1,000g	2,000g
Folded Length	720mm	745mm
Pipe size	26.8mm	26.8mm
Weight	720g	955g
QRS Plate	Fixed Type	QRS 6256



Can be used as conventional monopod

Tripod Legs

THE PROFESSIONAL Series LEG

 Made in Japan

THE PROFESSIONAL NS LEG

THE PROFESSIONAL 4 NS LEG

THE PROFESSIONAL II-LE NS LEG



Model	THE PROFESSIONAL NS LEG	THE PROFESSIONAL 4 NS LEG	THE PROFESSIONAL II-LE NS LEG
Max. Height	1,860mm	2,390mm	1,700mm
Min. Height	245mm (w/ short column)	245mm (w/ short column)	205mm (w/short column)
Load Capacity	12,000g	12,000g	10,000g
Folded Length	760mm	795mm	675mm
Pipe size	36mm	36mm	32mm
Weight	4,500g	5,100g	3,290g

PRO AL Series LEG

PRO AL-523 LEG

PRO AL-323 LEG

PRO AL-324 LEG



Model	PRO AL-523 LEG	PRO AL-323 LEG	PRO AL-324 LEG
Max. Height	1,450mm	1,490mm	1,335mm
Min. Height	220mm	205mm	170mm
Load Capacity	6,000g	4,000g	4,000g
Folded Length	585mm	540mm	435mm
Pipe size	26.8mm	23.4mm	23.4mm
Weight	1,950	1,310g	1,260g

Tripod Legs

DX, PRO and EZ Series LEG

ABLE 300DX LEG



PRO 400DX LEG



PRO 700DX LEG



MASTER CLASSIC LEG



Model	ABLE 300DX LEG	PRO 400DX LEG	PRO 700DX LEG	MASTER CLASSIC LEG
Max. Height	1,445mm	1,445mm	1,780mm	1,500mm
Min. Height	370mm	240mm	275mm	629mm
Load Capacity	5,000g	5,000g	8,000g	6,000g
Folded Length	580mm	580mm	680mm	467mm
Pipe size	27mm	27mm	30.2mm	28mm
Weight	2,070g	2,070g	2,670g	1,769g

Carbon Fiber 900 and 800 Series

PRO CF-933 LEG



PRO CF-934 LEG



PRO CF-833 LEG



PRO CF-834 LEG



Model	PRO CF-933 LEG	PRO CF-934 LEG	PRO CF-833 LEG	PRO CF-834 LEG
Max. Height	2,040mm	1,870mm	1,710mm	1,650mm
Min. Height	300mm	250mm	235mm	190mm
Load Capacity	10,000g	10,000g	7,000g	7,000g
Folded Length	740mm	590mm	600mm	480mm
Pipe size	32mm	32mm	28mm	28mm
Weight	2,440g	2,360g	1,550g	1,560g

Tripod Legs

Carbon Fiber 700 and 600 series

PRO CF-733 LEG



PRO CF-734 LEG



PRO CF-633 LEG



PRO CF-634 LEG



PRO CF-635 LEG



Model	PRO CF-733 LEG	PRO CF-734 LEG	PRO CF-633 LEG	PRO CF-634 LEG	PRO CF-635 LEG
Max. Height	1,675mm	1,650mm	1,630mm	1,590mm	1,310mm
Min. Height	210mm	180mm	125mm	105mm	90mm
Load Capacity	5,000g	5,000g	3,000g	3,000g	3,000g
Folded Length	575mm	475mm	540mm	475mm	370mm
Pipe size	25mm	25mm	22mm	22mm	22mm
Weight	1,330g	1,350g	900g	930g	870g

Tripod Head

HIGH-PRECISION 3-WAY PAN HEADS

SH-806E

An easy to use pan/tilt head for cameras up to medium format



SH-807E

With precision 3-way pan head for medium format 35mm/D-SLR with long telephoto lenses



SH-908E

Heavy duty structure, a 3-way pan head for large format, cameras medium format 35mm/D-SLR with long telephoto lenses



SH-909E



Model	SH-806E	SH-807E	SH-908E	SH-909E
Type of Bubble Level	Dual axis plus round type	Dual axis plus round type	Dual axis type	Dual axis type
Size of Camera Platform	57x59mm (QRS 6196)	57x59mm (QRS 6196)	72x71mm (QRS 6183)	82x90mm (QRS 6123)
Camera Mounting Screw	U1/4	U1/4	U1/4 · U3/8	U1/4 · U3/8
Tripod Mounting Screw	U1/4	U3/8	U3/8	U3/8
Height	134mm	150mm	135mm	140mm
Weight	700g	1,000g	1,410g	1,710g
Load Capacity	7kgs	10kgs	10kgs	12kgs

Tripod Heads

3-WAY PAN HEADS

SH-747

Compact 3-way pan head with Arca-compatible and 180 degrees rotatable platform



SH-747FC

Compact 3-way pan head with friction suitable for both photography and video recording.



SH-704E

Compact and light weight 3-way pan head with convenient Quick Release Shoe



SH-705E

Compact and light weight 3-way pan head with omnidirectional Quick Release Shoe



Model	SH-747	SH-747FC	SH-704E	SH-705E
Type of Bubble Level	Dual Type	Dual Type	Single Type	-
Size of Camera Platform	38x62mm (QRS 6507)	38x62mm (QRS 6507)	48x36mm	54x47mm
Camera Mounting Screw	U1/4	U1/4	U1/4	U1/4
Tripod Mounting Screw	U1/4 · U3/8	U1/4 · U3/8	U1/4	U1/4
Height	115mm	115mm	75mm	90mm
Weight	645g	690g	290g	450g
Load Capacity	7kgs	7kgs	3kgs	5kgs

PRO 700DX HEAD

Special 4-way pan head (Standard 3-way plus movement of round type quick release shoe. Its unique quick release system is one of the fastest and easiest to use in the Industry



ABLE 300DX HEAD

The ABLE 300DX Pan Head is solid, precision machined aluminum. This all-metal head has the strength and durability to handle many DSLRs, mirrorless interchangeable lens camera (ILCs) and lenses.



Model	PRO 700DX HEAD	ABLE 300DX HEAD
Type of Bubble Level	Dual Axis Type	-
Size of Camera Platform	QRS 6124 or 6125	QRS 6123
Camera Mounting Screw	U1/4 (U3/8 as option)	U1/4
Tripod Mounting Screw	U3/8	U1/4
Height	120mm	100mm
Weight	1,000g	650g
Load Capacity	8kgs	6kgs

Tripod Heads

BALL HEADS

SBH-808DQ

Ball Head with friction control. Equipped with independent pan knob



SBH-180DS

A compact ball head with Arca-Swiss compatible quick release system.



PBH-535AC

Arca-Swiss compatible quick release system for easy mounting of the camera. Equipped with 3 adjustment knobs for locking, panning and friction control makes fast and easy set up



PBH-635AC



Standard Ball Head II

Compact Ball Head with built-in spring mechanism provide moderate amount of friction to the ball movement



Model	SBH-808DQ	SBH-180DS	PBH-535AC	PBH-635AC	Standard Ball Head II
Type of Bubble Level	-	-	-	-	-
Size of Camera Platform	QRS 6124	QRS 6505	QRS 6507	QRS 6507	Direct Mount
Camera Mounting Screw	U1/4	U1/4	U1/4	U1/4	U1/4
Tripod Mounting Screw	U1/4 · U3/8	U1/4	U1/4 · U3/8	U1/4 · U3/8	U1/4
Height	120mm	87mm	100mm	105mm	100mm
Weight	760g	180g	380g	485g	300g
Load Capacity	5kgs	3kgs	5kgs	6kgs	5kgs

SBH-200DQ

All metal compact ball head with dual axis bubble level



SBH-150DQ

Compact and lightweight ball head. Operated with one single lever



SBH-100AC

Arca-Swiss compatible ultra light and compact ball head, it is fast and simple to operate



SBH-100DQ

Ultra light and compact ball head, it is fast and simple to operate



SBH-60

The smallest ball head on SLIK line-up. Camera can be mounted directly



Model	SBH-200DQ	SBH-150DQ	SBH-100AC	SBH-100DQ	SBH-60
Type of Bubble Level	Dual Axis Type	Dual Axis Type	-	-	-
Size of Camera Platform	QRS 6183	QRS 6183	QRS 6507	QRS 6252	Direct Mount
Camera Mounting Screw	U1/4	U1/4	U1/4	U1/4	U1/4
Tripod Mounting Screw	U1/4	U1/4	U1/4	U1/4	U1/4
Height	87mm	87mm	75mm	68mm	47mm
Weight	350g	235g	185g	130g	48g
Load Capacity	5kgs	3kgs	2kgs	2kgs	1kgs

Tripod Heads

HEAVY DUTY LOW PROFILE BALL HEAD

PBH-36LP

A compact and light weight heavy duty low profile ball head.



PBH-45LP

PBH-45LP smaller size heavy duty low profile ball head. It is equipped with friction control



PBH-52LP

Heavy duty low profile ball head. It is equipped with friction control knob



Model	PBH-36LP	PBH-45LP	PBH-52LP
Type of Bubble Level	Triple Bubble Level	Triple Bubble Level	Triple Bubble Level
Size of Camera Platform	38x63mm (QRS 6510)	38x63mm (QRS 6510)	38x63mm (QRS 6510)
Camera Mounting Screw	U1/4	U1/4	U1/4
Tripod Mounting Screw	U1/4 · U3/8	U1/4 · U3/8	U1/4 · U3/8
Height	85mm	90mm	100mm
Weight	450g	535g	630g
Load Capacity	15kgs	20kgs	30kgs

MULTI ACTION HEAD

SH-707E

Easy operation with single pan-tilt handle. Pan and tilt can be operated simultaneously or individually



SH-707EAC

A sturdy all-metal pan head with a single control handle for smooth pan and tilt. Its quick, intuitive operation makes it ideal for tracking moving subjects when using spotting scopes, binoculars, or cameras.



MASTER CLASSIC HEAD

"Multi-actipn" head that enables easy operation with a single pan-tilt handle, ideal for D-SLRs. Users can pan and tilt simultaneously or individually, allowing for photography at any desired angle.



Model	SH-707E	SH-707AC	MASTER CLASSIC HEAD
Type of Bubble Level	Dual Axis Type	-	-
Size of Camera Platform	QRS 6183	QRS 6507	Direct Mount
Camera Mounting Screw	U1/4	U1/4	U1/4
Tripod Mounting Screw	U1/4	U1/4 · U3/8	U1/4
Height	81mm	85mm	130mm
Weight	470g	470g	770g
Load Capacity	5kgs	5kgs	6kgs

Tripod Heads

VIDEO HEADS AND TRIGGER HEADS

SVH-520

lightweight fluid video head with a built-in counterbalance spring providing smooth pan and tilt movement



504QF II HEAD

3-way fluid video head for video cameras. It can also be used for D-SLR with D-movie function.



AF1100E

Trigger head is very easy to position, just grip the handle to set up and release to fix the desired position.



AF1500E

Trigger head with Arca-compatible QRS platform. It can support up to 4kg of weight.



Model	SVH-520	504QF II HEAD	AF1100E	AF1500E
Type of Bubble Level	Single Type	Single Type	Single Type	-
Size of Camera Platform	38x60mm (QRS 6513)	48x84mm (QRS 6027)	48x36mm (QRS 6183)	62x38mm (QRS 6507)
Camera Mounting Screw	U1/4	U1/4	U1/4	U1/4
Tripod Mounting Screw	U1/4 · U3/8	U1/4	U1/4 · U3/8	U1/4 · U3/8
Height	100mm	105mm	125mm	130mm
Weight	565g	620g	540g	550g
Load Capacity	4kgs	3kgs	1.5kgs	4kgs

ASTROPHOTOGRAPHY GEARS

Ideal equipment for astronomical and timelapse shooting

ASTRA Time-Lapse & SKY Tracker

Motorized turn table for Astronomical and Timelapse shooting



ECH-630

The SLIK ASTRA ECH-630 Astro-Tracker is a compact motorized turn table with speed settings for star, moon, and time-lapse photography. Some astro-tracking heads can weigh up to 5kg but the ECH-630 weighs just 630g and takes up about the same amount of room as a 24-70mm lens in your camera bag. This makes it perfect for photographers that hike into remote locations to shoot the stars.

The ECH-630 capacity varies based on its angle. It can hold up 5kg when the turntable is flat and up to 2kg at a 90 degree angle. (See instructions for further details.) This makes it perfect for light-weight DSLR cameras or mirrorless cameras with fast prime lenses.

4 high-quality AA sized batteries are all that is needed for the ECH-630 to operate for up to 20 hours of celestial tracking, more than enough for a full night. The unit also has a micro USB port to connect an external battery for even longer run times



Dimension	D: 84 x W: 86 x H:65mm (exclude protrusions)
Weight	630g (without batteries, cables)
Head Mount Screw	U1/4
Tripod Mounting Screw	U1/4 · U3/8 (double screw adapter)
Max. Load Capacity	at Astronomical Mode: 5kg at Time-Lapse Mode : 5kg when the turn table and the ground are close to parallel: 5kg when the turn table and the ground are close to perpendicular :2kg (all subject less than 20kg · cm of moment load / about 2kg at 10 cm from rotation axis)

Power	4 AA alkaline batteries (Ni-MH batteries can also be used) DC 5V (micro-USB use together with AA batteries)
Battery Duration	About 20 hours (with alkaline batteries at 20°C)
Operating Temperature	-10°C ~ +40°C (without condensation)
Driving Method	Worm Wheel (by stepping motor)
Astronomical Mode	Star, Moon, Sun & Starscape (0.5x speed) Northern / Southern Hemisphere setting
Time-Lapse Mode	Clockwise, Counterclockwise & Repeat rotation setting ● Rotation Angle: 5° to 360° (5° increments) or Endless ● Rotation Speed: 48, 24, 12, 6, 3, 1.5h, 30min & 15min per one rotation

ACCESSORIES

ASTROPHOTOGRAPHY GEARS

MICRO MOTION HEAD

Micro Motion head for close up and astronomical shooting

SMH-250

The SLIK SMH-250 Micro Motion Head that can be used with the "ASTRA" ECH-630 Sky Tracker or any camera or head. This mount allows the ECH-630 to tilt up to 90 degrees and has 4 individual thumb screws for making minute adjustments to the position of the head. This makes finetuning polar alignment of the ECH-630 much easier.

Besides use of sky tracker, the SMH-250 is ideal piece for the macro shooting, the sports optics for fine angle adjustment and attaching a guide scope to the body of an astronomical telescope.

The SMH-250 is all-aluminum and weighs just 250g and takes up little room in a camera bag.

The base of the SMH-250 is Arca-Swiss compatible so it will easily mount into any tripod head with an Arca-Swiss compatible quick release system.



Size	H:37 x W: 88 x D: 46mm
Height Adjustment Angle	20° (±10°)
Pan Adjustment Angle	16° (±8°)
Adjustment Method	Push Screw (1.7° by one full knob rotation)
Weight	250g
Head Mounting Screw	U1/4
Tripod Mounting Screw	U1/4
Max. Load Capacity	6kg
Accessories	Height adjustment wedge (0 to 90°, 9° pitch)

OTHER ACCESSORIES

Sliding Arm

Horizontal column for mounting on a tripod. Tripod mounting screw U1/4 • U3/8, • Base diameter 39mm, • Slide Stroke 370mm • Weight 530g • Length 497mm • Height 102mm



Multi-Arm 520

For tilting and panning with 2 to 3 cameras on the tripod
Weight: 1,200g
Length: 520mm



Creator's Clamp

For more flexible set-up. It can be clamp to flat and round surfaces such as desktops, rails, poles or branches. A useful tool for limited space or where tripod cannot be used.



Optional Center Columns

Model / Series	Available Tripods
For THE Professional series	The Professional, The Professional 4
For Professiona II LE	Professional II LE

Carrying cases and straps

Carrying Case Model	Available tripods
Tripod case #2960	up to 960mm folded length tripod
Tripod case #2820	up to 820mm folded length tripod
Tripod case #2770	up to 770mm folded length tripod
Tripod case #2660	up to 660mm folded length tripod
Tripod case #601	up to 600mm folded length tripod
Tripods case #550	up to 550mm folded length tripod
Tripods case #500	up to 500mm folded length tripod
Monopod case #2650	up to 650mm folded length monopod
Strap L	for medium and large tripod
Strap M	for compact tripod

Spike Set

Exchangeable leg tip set for outdoor use for PRO 900, 800, 700 series Carbon Fiber tripod



11mm Thread Adapter

An adapter that converts 3/8" screw holes into 1/4", or it converts 1/4" thread post to 3/8".



Dolly II

Folded Length 580mm • Max. extended diameter 1,020mm • Height 155mm • Weight 4,050g



Twin Camera Plate 300

Designed for using two cameras, or various accessories on one tripod. TWIN CAMERA PLATE 300 comes with small thread screws, and is more suitable for 35mm/D-SLR cameras
Weight 500g • Length 315mm • Width 50mm • Height 50mm



Clamp Head

Combination of clamp and camera platform for a variety of use. Available in 3 sizes



Clamp Head 32

Weight 400g • Length 120mm • Width 90mm • Height 90mm
Pipe diameter to be mounted 22 to 32mm

Clamp Head 38

Weight 500g • Length 150mm • Width 95mm • Height 90mm
Pipe diameter to be mounted 28 to 38mm

Clamp Head 45

Weight 500g • Length 150mm • Width 95mm • Height 95mm
Pipe diameter to be mounted 35 to 45mm

ACCESSORIES

QRS PLATES AND ADAPTER

6515 (Arca-Swiss type) For Rover Series		6179 For VT-523 Video Tripod	
6153 (Arca-Swiss type) For Video Head SVH-520		6196 For SH-807E, SH-806E, PRO 780DX	
6507 (Arca-Swiss type) For PBH-635AC, PBH-535AC, SBH-400AS		6183 BK For AF1100, SBH-200DQ, Sprint Pro EZ	
6121 For U212DX, 88MB, 444 Sport II		6183 CG For AF1100, SBH-200DQ, Sprint Pro EZ	
6014 For EZ Pod, 511QF, Video Sprint Series		6256 For SH-726E, PRO 724DX, 500DH, 330HD	
6011 For 506QF, 322VF, 505QF		6256N For Mini Pro 7, Standpod 7, ABLE 300HC	
6019 For AF2100, 212AF, 112AF		6222 For GX-6300, GX-6400	
6027 For 504QF II PRO 340QF, 502QF, 503QF		6264 For SH-724E, 724E, 737HD	
6123 For SH-705E, ABLE 300DX, 400DX		6502 (Arca-Swiss type) For Lite CF-422, Lite CF-522, SVH-500	
6125 (U3/8") For 700DX, PRO 700BHX, SBH-800		6503 (Arca-Swiss type) For CF-422, Lite CF-522, SBH-180DS	
6124 (U1/4") For 700DX, PRO 700BHX, SBH-800		DQ-L Shoe For SBH-320DQ ball head, DQ-55	
6122 For U9000, U8000, U873, U873		6252 For Lite-420S, Lite 420M, Mini Pro DQ, DQ-10	
6129 For 515QF, DST-32, DST-33		6505 For SBH-180DS, Lite CF-422, Lite-522	
6506 For ZF-400, ZF-300		I-bracket Arca compatible I shape bracket	

DQ-10 Adapter

The SLIK DQ-10 adds a compact quick release to any tripod head that doesn't have one
 Weight: 54g
 Width : 60mm
 Length: 38mm
 Height: 15mm



DQ-20 Adapter

The DQ-20 Quick Release adapter can add a quick release for your camera to almost any tripod. This allows for faster and easier mounting and dismounting of the camera from the tripod.
 Weight: 120g
 Width : 81mm
 Length: 57mm
 Height: 20mm



SLIK®

Designed and engineered in Japan



SLIK CORPORATION

853 Kayama, Hidaka City,

Saitama 350-1231, Japan

Phone, 81-42-989-0990

Fax.81-42-989-2444



Slik Corporation reserves the right to make changes in design and / or improvements on the products without any obligation and advanced notice.

© COPYRIGHT 2009 SLIK CORPORATION.

ALL RIGHTS RESERVED. 18/9 J1,500.